| L Number | Hits      | Search Text   | DB  | Time stamp                           |
|----------|-----------|---|---|--------------------------------------|
| 7        | 1         | (direct\$2 near3 processor) near8 ((test\$3   | JPO;  | 2004/06/18 09:28                     |
| ,        |           | or diagnostic) adj2 (card or device or tool or apparatus))  | IBM_TDB                                     |                                      |
| 5        | 11        | (direct\$2 near3 processor) near8 ((test\$3 or diagnostic) adj2 (card or device or  | USPAT                                       | 2004/06/18 09:28                     |
| 6        | 1         | tool or apparatus)) (direct\$2 near3 processor) near8 ((test\$3 or diagnostic) adj2 (card or device or  | EPO;<br>DERWENT                             | 2004/06/18 09:28                     |
| _        | 2         | tool or apparatus)) "20020104040"   | US-PGPUB;                                   | 2004/06/17 11:05                     |
| _        | 1         | "6751569"   | DERWENT<br>USPAT                            | 2004/06/16 11:00                     |
| _        | 6         | ("5388267"   "5423029"   "5535330"  <br>"5823818"   "5854937"   "5875293").PN.  | USPAT                                       | 2004/06/16 15:56                     |
| -<br>  - | 11<br>2   | 5875293.URPN. detect\$3 near5 (coupl\$2 or connect\$2) with   | USPAT<br>USPAT                              | 2004/06/16 17:38<br>2004/06/16 17:40 |
| -        | 2         | <pre>initiat\$3 with (test\$3 adj1 apparatus) detect\$3 near5 (coup1\$2 or connect\$2) with initiat\$3 with (test\$3 adj1 apparatus)</pre>          | EPO; JPO;<br>DERWENT;                       | 2004/06/16 17:15                     |
| _        | 780       | manufacture near1 mode  | IBM_TDB<br>USPAT;<br>US-PGPUB               | 2004/06/16 17:15                     |
| -        | 0         | (manufacture near1 mode) and initial\$5   | EPO; JPO;<br>DERWENT;                       | 2004/06/16 17:21                     |
| -        | 4         | (manufacture near1 mode) with initial\$5  | IBM_TDB<br>USPAT;<br>US-PGPUB               | 2004/06/16 17:19                     |
| _        | 39        | manufacture near1 mode  | EPO; JPO;<br>DERWENT;                       | 2004/06/16 17:21                     |
| _        | 15        | (manufacture near1 mode) same initial\$5  | IBM_TDB<br>USPAT;<br>US-PGPUB               | 2004/06/16 17:32                     |
| _        | 4         | (manufactur\$3 near1 mode) and initial\$5   | EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/06/16 17:24                     |
|          | 0         | (manufactur\$3 near1 mode) and initiat\$5   | EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/06/16 17:25                     |
| _        | 0         | (manufactur\$3 near1 mode) and initiat\$5   | EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/06/16 17:32                     |
| _        | 96        | manufactur\$3 near1 mode  | EPO; JPO;<br>DERWENT;<br>IBM TDB            | 2004/06/16 17:27                     |
| _        | 40        | manufactur\$3 near1 mode same (initiat\$3 or initial\$5)  | USPAT                                       | 2004/06/16 17:29                     |
|          | 103<br>28 | debugging nearl apparatus debugging adjl apparatus  | USPAT<br>USPAT                              | 2004/06/16 17:29 2004/06/16 17:31    |
| _        | 0         | (debugging adj1 apparatus) and chun.xa.   | USPAT                                       | 2004/06/16 17:30                     |
| _        | 105       | debugging adj1 apparatus  | US-PGPUB;<br>EPO; JPO;<br>DERWENT;          | 2004/06/16 17:31                     |
| _        | 3         | (debugging adjl apparatus) and initiat\$5   | IBM_TDB<br>EPO; JPO;<br>DERWENT;<br>IBM TDB | 2004/06/16 17:32                     |
| _        | 0         | (debugging adjl apparatus) same initial\$5  | USPAT;<br>US-PGPUB                          | 2004/06/16 17:32                     |
| _        | 107       | <pre>(detect\$3 near5 (coupl\$3 or connect\$2)) with (test\$3 adj1 apparatus)</pre>   | USPAT                                       | 2004/06/16 17:41                     |
| _        | 5<br>4875 | 17.ab.<br>huh.in.   | USPAT<br>US-PGPUB;<br>DERWENT               | 2004/06/16 17:41 2004/06/17 11:05    |
| -        | 1<br>3065 | huh.in. and boot near2 code (initiat\$3 or initializ\$5 or boot\$3) with  | USPAT<br>USPAT                              | 2004/06/17 13:31<br>2004/06/17 14:25 |
| -        | 3065      | <pre>(detect\$3) near4 (device\$1 or apparatus)   (initiat\$3 or initializ\$5 or boot\$3) with   ((detect\$3) near4 (device\$1 or apparatus))</pre> | USPAT                                       | 2004/06/17 15:32                     |
|          | 33        | "5864698"   | USPAT<br>USPAT                              | 2004/06/17 14:24 2004/06/17 14:24    |
|          | <u> </u>  |   |   |                                      |

| _    | 1055  | ((initiat\$3 or initializ\$5 or boot\$3) with | USPAT                                  | 2004/06/17 14:26     |
|------|-------|---|--|----------------------|
|      |       | ((detect\$3) near4 (device\$1 or              |  |                      |
|      |       | apparatus))) and (test\$3)                    |  |                      |
|      | 188   | ((initiat\$3 or initializ\$5 or boot\$3) with | USPAT                                  | 2004/06/17 14:28     |
|      | 100   | ((detect\$3) near4 (device\$1 or              | 001111                                 | 2001,00,1: 11120     |
|      |       |   |  |                      |
| 1    |       | apparatus))) same (test\$3)                   | nno.                                   | 2004/06/17 14-26     |
|      | 0     | ((initiat\$3 or initializ\$5 or boot\$3) with | EPO;                                   | 2004/06/17 14:26     |
|      |       | ((detect\$3) near4 (device\$1 or              | DERWENT                                |                      |
|      |       | apparatus))) same (test\$3)                   |  | ,                    |
| -    | 0     | ((initiat\$3 or initializ\$5 or boot\$3) with | JPO;                                   | 2004/06/17 14:26     |
|      | •     | ((detect\$3) near4 (device\$1 or              | IBM TDB                                |                      |
|      |       | apparatus))) same (test\$3)                   | _                                      |                      |
|      | 646   | (initiat\$3 or initializ\$5 or boot\$3) with  | EPO;                                   | 2004/06/17 14:28     |
| _    | 040   |   | DERWENT                                | 2004/00/1/ 11:20     |
| •    | 0.45  | ((detect\$3) near4 (device\$1 or apparatus))  |  | 2004/06/17 14:20     |
| -    | 247   | (initiat\$3 or initializ\$5 or boot\$3) with  | JPO;                                   | 2004/06/17 14:28     |
|      |       | ((detect\$3) near4 (device\$1 or apparatus))  | IBM_TDB                                |                      |
| -    | 10    | ((initiat\$3 or initializ\$5 or boot\$3) with | JPO;                                   | 2004/06/17 14:28     |
|      |       | ((detect\$3) near4 (device\$1 or              | IBM TDB                                | İ                    |
|      |       | apparatus))) same test\$3                     | _                                      |                      |
| _    | 33    | ((initiat\$3 or initializ\$5 or boot\$3) with | EPO;                                   | 2004/06/17 14:44     |
| [. ] | 1     | ((detect\$3) near4 (device\$1 or              | DERWENT                                |                      |
|      |       | apparatus))) same test\$3                     | ZHXWDIVI                               |                      |
|      |       | apparatus/// same testes                      | USPAT                                  | 2004/06/17 14:29     |
| -    | 0     | ((initiat\$3 or initializ\$5 or boot\$3) with | OSPAI                                  | 2004/00/1/ 14:29     |
|      |       | ((detect\$3) near4 (device\$1 or              |  |                      |
| İ    |       | apparatus))) same (test\$3 near5 target)      |  |                      |
| -    | 4     | ((initiat\$3 or initializ\$5 or boot\$3) with | USPAT                                  | 2004/06/17 14:29     |
|      |       | ((detect\$3) near4 (device\$1 or              |  |                      |
|      |       | apparatus))) same (test\$3 near5 computer)    |  |                      |
| _    | 5     | (((initiat\$3 or initializ\$5 or boot\$3)     | EPO;                                   | 2004/06/17 14:44     |
|      |       | with ((detect\$3) near4 (device\$1 or         | DERWENT                                | 2001,00,27           |
|      |       |   | DEKMENT                                |                      |
|      |       | apparatus))) same test\$3) and g06f\$.ipc.    | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 0004/06/17 14 50     |
| _    | 60    | ((initiat\$3 or initializ\$5 or boot\$3)      | USPAT                                  | 2004/06/17 14:52     |
|      |       | near5 computer) with (detect\$3 near4 upon)   |  |                      |
| -    | 35    | (((initiat\$3 or initializ\$5 or boot\$3)     | USPAT                                  | 2004/06/17 14:49     |
| 1    |       | near5 computer) with (detect\$3 near4         |  |                      |
|      |       | upon)) and g06f\$.ipc.                        |  |                      |
| _    | 22    | (((initiat\$3 or initializ\$5 or boot\$3)     | USPAT                                  | 2004/06/17 15:25     |
|      |       | near5 computer) with (detect\$3 near4         |  |                      |
|      |       |   |  |                      |
|      |       | upon)) and test\$3                            | EDO. IDO.                              | 2004/06/17 14:52     |
| -    | 4     | ((initiat\$3 or initializ\$5 or boot\$3)      | EPO; JPO;                              | 2004/00/1/ 14:52     |
|      |       | near5 computer) with (detect\$3 near4 upon)   | DERWENT;                               |                      |
|      | •     |   | IBM_TDB                                |                      |
| -    | 10153 | test\$3 near6 target                          | USPAT                                  | 2004/06/17 15:25     |
| _    | 258   | test\$3 near6 (target adj3 (computer or       | USPAT                                  | 2004/06/17 15:31     |
| -    |       | card device))                                 |  |                      |
| _    | 109   | (test\$3 near6 (target adj3 (computer or      | USPAT                                  | 2004/06/17 15:31     |
| _    | 109   | card device))) and q06f\$.ipc.                | 1 301111                               | 2001,00,1, 10.31     |
|      | 005   |   | HCDAT                                  | 2004/06/18 09:23     |
| -    | 295   | detect\$3 near8 (test\$3 adj2 (device\$1 or   | USPAT                                  | 2004/00/10 09:23     |
|      |       | apparatus or computer\$1 or card\$1)) near9   |  |                      |
|      |       | (connect\$3 or coupl\$3)                      |  |                      |
| -    | 17    | detect\$3 near8 (test\$3 adj2 (device\$1 or   | EPO                                    | 2004/06/17 15:53     |
|      |       | apparatus or computer\$1 or card\$1)) near9   |  |                      |
|      |       | (connect\$3 or coupl\$3)                      |  |                      |
| _    | 32    | detect\$3 near8 (test\$3 adj2 (device\$1 or   | JPO                                    | 2004/06/17 15:53     |
| _    | 32    | apparatus or computer\$1 or card\$1)) near9   | 310                                    | 1 2331, 33, 17 13.33 |
|      |       |   |  | 1                    |
|      |       | (connect\$3 or coupl\$3)                      | DEDELENA                               | 2004/06/13 15 52     |
| -    | 168   | detect\$3 near8 (test\$3 adj2 (device\$1 or   | DERWENT;                               | 2004/06/17 15:53     |
|      |       | apparatus or computer\$1 or card\$1)) near9   | IBM_TDB                                |                      |
|      |       | (connect\$3 or coup1\$3)                      |  |                      |
| ·    |       | 1   |  |                      |

Print Format

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Pages:495 - 501

[Abstract]



Standards Conferences Publications/Services Welcome **United States Patent and Trademark Office** » Se Y **Quick Links IEEE Peer** FAQ Terms Review Welcome to IEEE Xplores Your search matched 2 of 1045422 documents. ( )- Home A maximum of 500 results are displayed, 15 to a page, sorted by Relevance What Can **Descending** order. I Access? ( )- Log-out **Refine This Search:** You may refine your search by editing the current search expression or enteri **Tables of Contents** new one in the text box. O- Journals Search computer testing <sentence> initial & Magazines Check to search within this result set Conference **Proceedings Results Key:** O- Standards JNL = Journal or Magazine CNF = Conference STD = Standard Search O- By Author Case study of a year 2000 platform testing initiative C) Basic Bukowski, J.V.; Steel, C.M.; Reliability and Maintainability Symposium, 1999. Proceedings. Annual, 18-21 — Advanced 1999 **Member Services** Pages: 224 - 229 O- Join IEEE [PDF Full-Text (664 KB)] **IEEE CNF** [Abstract] Establish IEEE Web Account **Developing an ESS automation tool** Garry, W.J.; O Access the Reliability and Maintainability Symposium, 1989. Proceedings., Annual, 24-2 IEEE Member Digital Library 1989

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online | Publications | Help | FAQ | Terms | Back to Top

[PDF Full-Text (432 KB)]

Copyright © 2004 IEEE - All rights reserved

## **BEST AVAILABLE COPY**

**IEEE CNF**